






Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description		
1306	Air cylinder complete Air Cylinder w/ closing valve. 1,45 liter (50 fl oz). Work pressure 300bars/4350psi	9 921,00	
1307	Air cylinder US complete Air Cylinder w/ closing valve. 1,45 liter (50 fl oz), certified for the US and Canadian market. Work pressure 200bars/2900psi	9 921,00	
1308	Adapter 200/300 bar (Yoke-DIN477) Adapter for filling of the air cylinder from Yoke 200 bars (2900psi) standard.	1 783,00	
1309	Closing valve w/ manometer	4 918,00	
1310	Air filling hose w/ connections Air filling hose with couplings and pressure releaser.	2 941,00	

APTUM AB

PRICELIST 2012 REV 1






Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
2104	End plug for projectiles with internal line End plug for Projectile Rescue 230 (art no 2101), Projectile PLT 125 (art no 3101) and Projectile PLT Mini 100 (art no 4101). The projectile must never be fired without the end plug.	421,00	
2105	Line 2mm hollow braided Dyneema Safety Line for Art No 2101 or 4101, 2mm. Comes on a spool of 350 meters. Breaking strength 7800N.	8 107,00	
4000	PLT Mini complete Contents: 1 art no 4020 PLT Mini Launching unit 1 art no 4006 CO2 cartridge 4-pack 2 art no 4101 Projectile PLT Mini 100 1 art no 4102 Projectile PLT Mini-rubber 1 art no 4200 Loading device 1 art no 4202 Linebox PLT Mini 2mm nylon 1 Digital and soft copy User Manual Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini 100 art no 4101: 100m. Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini-rubber art no 4102 : 90m. Breaking strength : 190kg The PLT Mini is a light version shoulder launched PLT.	28 024,00	

APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
4000U	PLT Mini complete without CO2 The PLT Mini is a light version shoulder launched PLT. This is the standard package which is the same as Art No 4000, without CO2.	27 284,00	
4006	CO2 cartridge, 4-pack Disposable 33 gram CO2 cartridges. Comes in a 4-pack. Note that these can be shipped by Air as dangerous goods.	450,00	
4020	PLT Mini Launching Unit The PLT Mini can be used either with CO2 cartridges (art no 4006) or by compressed air. The shooting length will be app the same.	18 795,00	
4021	PLT Mini Launching Unit Black Same as art no 4020, but in black version.	20 158,00	
4060	PLT Mini Complete Rescue Pack Contents: 1 art no 4020 PLT Mini Launching unit 5 art no 4006 CO2 cartridge 4-pack 2 art no 4101 Projectile PLT Mini 100 1 art no 4102 Projectile PLT Mini-rubber 1 art no 4104 Lightstick (5-pack) 1 art no 4200 Loading device 2 art no 4202 Linebox PLT Mini 2mm nylon 1 Digital and soft copy User Manual Typical shooting range with a dry and clean line of	38 493,00	

APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.





Art No	Name and description	Price in SEK
	<p>2mm (Art No 4110) and Projectile PLT Mini 100 art no 4101: 100m.</p> <p>Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini-rubber art no 4102 : 90m.</p> <p>Breaking strength : 190kg</p> <p>The PLT Mini is a light version shoulder launched PLT.</p>	
4100	<p>Storage container PLT Mini</p> <p>Water proof container in heavy duty plastic. Easy storage and easy handling. Air and water tight. It even floats in the water. Internal dim. 580x440x220 mm, External dim. 650x510x242mm. 56liter and 8,5kg. Colour orange.</p>	6 436,00
4101	<p>Projectile PLT Mini 100</p> <p>Projectile PLT Mini made from ABS and aluminum inner tube. Filled with an internal line of 110m (120yd). The projectile floats.</p> <p>Typical shooting range with a dry and clean line of 2mm (Art No 4110): 100m.</p> <p>Breaking strength : 190kg</p>	1 508,00
4102	<p>Projectile PLT Mini-rubber</p> <p>Soft projectile made from Polyurethan. Used for general line transfer and training. A lightstick can easily be attached for visibility at night. Must be used with an external line or Linebox Art no 4202 .</p> <p>Typical shooting range with a dry and clean line of 2mm (Art No 4110): 90m.</p> <p>Breaking strength : 190kg</p>	1 508,00



APTUM AB

PRICELIST 2012 REV 1






Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
4103	Projectile PLT Mini-sharp graple Graple with sharp ends for pick-up. Made from POM and Stainless Steel. The projectile does not float. Typical used with an external line or Linebox Art 4202. Typical shooting range with a dry and clean line of 2mm (Art No 4110): 75m. Breaking strength : 190kg	3 853,00	
4104	Lightstick for projectile PLT Mini-rubber 5 pcs Lightsticks for art no 4102. Provides visibility during night time. Green colour with 6 hours burning time. Comes in 5-pack.	418,00	
4105	Projectile PLT/Mini-Rescue bouy Projectile that contains an automatic inflatable life buoy. Will inflate within 2 sec. after entering the water. Can be used with PLT and PLT Mini. The inflator has an expiry date. Uses 33gram CO2 cartridge. Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 80m. Breaking strength : 190kg Typical shooting range with a dry and clean line of 3,2mm(Art No 2103) with the PLT: 115m. Breaking strength : 200kg	3 484,00	
4106	Projectile PLT Mini-rubber tip Rubber tipped plastic projectile that floats. Used for general line transfer or as a training projectile for PLT Mini. Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 95m. Breaking strength : 190kg	2 217,00	

APTUM AB

PRICELIST 2012 REV 1




Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
4110	Safety line PLT Mini projectiles Safety line for all PLT Mini projectiles, 2mm and 120m. Breaking strength 190kg.	733,00	
4111	Packings and O-rings PLT Mini Launching unit Packings and O-rings for PLT Mini.	857,00	
4113	Projectile-entering grapple 4 Titanium grapple with black plastic coating. For entering constructions. For more information ask for brochure, "Entering solutions".	6 660,00	
4114	Projectile PLT Mini-line pick-up grapple Closed grapple for line pick-up. The closed ends secures the line within the barbes. Made from Stainless Steel and plastic. Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 75m. Breaking strength : 190kg	3 880,00	
4115	Projectile-entering grapple 3 Titanium grapple with 3 tines that are barbed from centre to the tip. One tine can hold 2000kg at the centre and 350kg at the tip before bending. Black plastic coating. For entering constructions. Fits lines up to 9mm for direct climbing after launching. Can be used by PLT and PLT Mini Launching Unit. Typical shooting range with a dry and clean double	10 459,00	

APTUM AB

PRICELIST 2012 REV 1






Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
	<p>line of 3,2mm (Art No 2103) by PLT: 64m</p> <p>Typical shooting range with a dry and clean double line of 3,2mm (Art No 2103) by PLT Mini: 29m</p> <p>Using 9mm Technora fibers single line and PLT: 37m</p> <p>Using 9mm Technora fibers single line and PLT Mini: 16m</p>		
4200	<p>Loading device projectile PLT Mini 100</p> <p>Loading device for reloading the 2mm (Art No 4110) line into art no 4101 and art no 4202. Connect to compressed air 5-10bars (72-145psi).</p>	1 865,00	
4202	<p>Linebox 2mm-nylon line</p> <p>Linebox containing safety line (min 90m of art no 4110). Reloads using loading device Art no 4200. Breaking strength : 190kg</p>	1 576,00	
4207	<p>Quick coupling</p> <p>Quick coupling for using the PLT Mini with compressed air. Fits any standard 5/8" diving cylinder. Reduces the pressure to the correct air pressure. Includes safety valve. With our air cylinder art no 1306/1307, you will get more than 35 shots.</p>	7 166,00	

APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
4303	Launching Tube PLT Mini Launching Tube for PLT Mini.	2 190,00	
7032	Repacking set Life buoy w/ CO2 Repacking set for life buoy Art No 7035 and Art No 4105. Includes inflator, strips and a 33gram CO2 cartridge. The inflator has an expiry date.	842,00	
7034	Repacking set Life buoy without CO2 Repacking set for life buoy Art No 7035 and Art No 4105. Includes inflator and strips. The inflator has an expiry date.	706,00	
7035	Rescue Egg Rescue Egg containing an automatically inflatable life buoy. No line attached. Ideal for MOB when ship is moving. The cover acts as a sea anchor. The inflator has an expiry date. Uses 33gram CO2 cartridge.	2 560,00	
7036	Inflator for Rescue bouy The inflator has an expiry date. The inflator is for the art no 4105, 7035 and repacking set for life buoys..	591,00	

APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.



Art No	Name and description	Price in SEK
7038	Quick link ladder connector Minimum order amount 2. Using the optional Ladder Connector the spacing remains the same when joining two ladders (order 2 for the Single Rung Ladder or order 3 for the Double Rung Ladder). CE-EN 362.	113,00
7039	Ladder Single Rung 10m 10m, lightweight, noiseless, non conducting, contains no metal parts and presents no radar signal. Built for heavy duty military use in marine environment! One end of the ladder has a single attachment point for fast and easy deployment. The other end has a two separate attachment points. You can use this Sida to put 2 ladders together (with the optional Ladder Connectors) or you can use this Sida to connect it to two separate anchor points to rig it slightly more stable. Single Rung 200mm width. Rung spacing: 30cm. Using the optional Ladder Connector (art no 7038) the spacing remains the same when joining two ladders (order 2 for the Single Rung Ladder).	8 766,00
7040	Ladder Single Rung 15m 15m, specifications same as art no 7039.	12 303,00



APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.





Art No	Name and description	Price in SEK	
7041	Ladder Single Rung 20m 20m, specifications same as art no 7039.	15 859,00	
7042	Ladder Double Rung 15m 15m, lightweight, noiseless, non conducting, contains no metal parts and presents no radar signal. Built for heavy duty military use in marine environment! One end of the ladder has a single attachment point for fast and easy deployment. The other end has a two separate attachment points. You can use this Sida to put 2 ladders together (with the optional TAGS Ladder Connectors) or you can use this Sida to connect it to two separate anchor points to rig it slightly more stable. Double Rung 390mm width. Rung spacing: 30cm. Using the optional Ladder Connector (art no 7038) the spacing remains the same when joining two ladders (order 3 for the Double Rung Ladder). The double rung version is faster, more stable and more comfortable to climb than the single rung version. Especially in situations where you must climb downwards.	19 151,00	
7043	Ladder Double Rung 20m 20m, specifications same as art no 7042.	25 141,00	
8000	Whale Tagger complete Whale tagger launcher: Includes: 1 art no 1308 Filling adapter 1 art no 1306 Air cylinder with closing valve 2 art no 1303 Launching tube 1 art no 9400 Storage container 1 Red Dot aiming device 1 Shoulder support with quick connection 1 Base unit complete with valves and gauge.	65 449,00	

Sida 10 av 13

APTUM AB

PRICELIST 2012 REV 1





Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
9001	Turbo oil 165 ml ,PRF 290/220 Lubricant, for keeping the line thrower in clean and in good working condition. Used ones a month. Acid and water free.	381,00	
9002	Manometer w/ packing Spare manometer with packing for the air cylinder.	885,00	
9200	Storage container PLT 75/150 complete Water proof container in heavy duty plastic. Easy storage and easy handling. Fits PLT 75 and 150 models. There are wheels on the container for easy transportation. Air and water tight. It even floats in the water. Internal dim. 580x440x330 mm, External dim. 670x510x372mm. 84liter and 14kg. Colour orange.	12 733,00	
9300	Storage container PLT 125 complete Water proof container in heavy duty plastic. Easy storage and easy handling. Fits PLT 125 model. There are wheels on the container for easy transportation. Air and water tight. It even floats in the water. Internal dim. 765x485x305 mm, External dim. 860x560x330mm. 113liter and 16,5kg. Colour orange.	12 733,00	

APTUM AB

PRICELIST 2012 REV 1



Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
9400	Storage container PLT Rescue 230 complete Water proof container in heavy duty plastic. Easy storage and easy handling. It even floats in the water. Fits PLT Rescue 230 complete. Internal dim. 1350x350x135 mm, External dim. 1410x415x159mm. 63,7liter and 12kg. There are wheels on the container for easy transportation. Colour black.	11 602,00	
9401	Storage container PLT Mini, 75, 125 and 150 Water proof container in heavy duty plastic. Easy storage and easy handling. It even floats in the water. Fits PLT Mini, 75, R125 and 150 complete. Internal dim. 939x352x137 mm, External dim. 989x415x157mm. 45liter and 8kg. There are wheels on the container for easy transportation. Colour black.	10 170,00	
9500	Storage container deep Water proof container in heavy Duty plastic. Easy storage and easy handling. It even floats in the water. Internal dim. 1350x350x272 mm, External dim. 1410x415x296mm. 128,5liter and 16kg. There are wheels on the container for easy transportation. Colour black.	12 733,00	
9900	Bauer Kompressoren PE100-TE 3 phase 100l/min, 400V 50Hz. Delivery time is 3 weeks from ordering. 230V or 60Hz can be ordered with a delivery time of 6 weeks. The price will increase by SEK 1000,-. Dimensions is 89x50x49cm and 40kg.	63 542,00	

APTUM AB

PRICELIST 2012 REV 1

Price in SEK ExWorks Aptum AB(incoterms 2010) and exVAT.

Art No	Name and description	Price in SEK	
9901	<p>Bauer Kompressoren PE100-TW Single phase</p> <p>100l/min, 400V 50Hz. Delivery time is 3 weeks from ordering. 230V or 60Hz can be ordered with a delivery time of 6 weeks. The price will increase by SEK 1000,-. Dimensions is 89x50x49cm and 40kg.</p>	65 758,00	
9902	<p>Bauer Kompressoren PE100-TB 4-stroke petrol</p> <p>100l/min, 4,2 kW, 5,7 Hp. Delivery time is app 2 weeks from ordering. Dimensions is 89x50x49cm and 42kg.</p>	66 644,00	
9903	<p>Bauer Kompressoren Junior II, 3 phase</p> <p>Compact Line Junior II 100l/min, 400V 60Hz. 230V is an option. Delivery time is 1-3 weeks from ordering. Dimensions is 66x36x42cm and 46kg.</p>	78 676,00	